1647

Docket No.: DAVI122.001APC

Page 1 of 2



Please Direct All Correspondence to Customer Number 20995

AMENDMENT / RESPONSE TRANSMITTAL

Applicant :

Cocks et al.

App. No

09/787,356

Filed

June 25, 2001

For

METHODS OF TREATING AIRWAY

DISEASES BY ACTIVATING PAR

Examiner

Robert S. Landsman

Art Unit

1647

CERTIFICATE OF MAILING

I hereby certify that this correspondence and all marked attachments are being deposited with the United States Postal Service as first-class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on

ebruary 8, 2006

Marina L. Gordey, Reg. No. 52,950

Mail Stop Amendment

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Transmitted herewith for filing in the above-identified application are the following enclosures:

(X) Preliminary Amendment in 4 pages.

The fee has been calculated as shown below:

The present application qualifies for Small Entity Status under 37 CFR 1.27.

FEE CALCULATION								
FEE TYPE						FEE CODE	CALCULATION	TOTAL
Excess Claims	10	-	20	=	0	2202 (\$25)	0 x 25 =	\$0
Excess Independent	2	-	3	=	0	2201 (\$100)	0 x 100 =	\$0
Multiple Claim	1.16(j)					2203 (\$180)		\$0
TOTAL FEE DUE							\$0	

(X) Return prepaid postcard.

Docket No.: DAVI122.001APC February 8, 2006 App. No.: 09/787,356 Page 2 of 2

Please Direct All Correspondence to Customer Number 20995

(X) Please charge any additional fees, including any fees for additional extension of time, or credit overpayment to Deposit Account No. 27-1410.

Marina L. Gordey Registration No. 52,950 Agent of Record Customer No. 20,995 (805) 547-5580

2356491:vr 020706





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

Cocks et al.

Appl. No.

09/787,356

Filed

June 25, 2001

For

METHODS OF TREATING

AIRWAY DISEASES BY

ACTIVATING PAR

Examiner

Landsman, Robert S.

Group Art Unit

1647

PRELIMINARY AMENDMENT

Mail Stop Amendment

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

In response to the Notice of Drawing Inconsistency with Specification mailed February 1, 2006, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Remarks/Arguments begin on page 4 of this paper.